

Version: 5 Date: 11/04/2025 Page 1

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

## 1. IDENTIFICATION

Product Identification: Sodium Hypochlorite - NaClO

Other ways of identification:

**Recommended uses and restrictions on use:** Water purification; industrial, domestic and hospital disinfection, manufacture of bleach, whitening agent .

**Supplier Details:** 

Katrium Chemical Industries SA

Address: João Paulo Road, 530 - Honorio Gurgel

Zip Code: 21512-002 Rio de Janeiro/RJ – Brazil

Contact telephone number: 55 (21) 2472-9060

Emergency Telephone Number: AMBIPAR RESPONSE - 0800 117 2020

## 2. HAZARD IDENTIFICATION

#### GHS classification of the substance or mixture:

Corrosive to metals: Category 1

Skin corrosion/irritation: Category 1B

Specific Target Organ Toxicity – Single Exposure: Category 3

Dangerous to the aquatic environment – Chronic: Category 1

## Classification system used:

ABNT-NBR 14725 standard.

Globally Harmonized System for the Classification and Labeling of Chemicals, UN.

### GHS labeling elements, including precautionary statements:







Words of warning: DANGER

### Hazard phrase(s):

H290 – May be corrosive to metals

H314 - Causes severe skin burns and serious eye damage.

H335 - May cause respiratory irritation.

H410 – Very toxic to aquatic life with long lasting effects.

## Precautionary phrase(s):

P271 – Use only outdoors or in a well-ventilated area.

P280 – Wear protective gloves/protective clothing/eye protection/face protection/hearing protection

### **Emergency Response:**

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

Storage:



Version: 5	Date: 11/04/2025	Page 2
• 61516111 5	Date: 11, 0 1, 2023	. 486 =

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

P406 – Store in a corrosion-resistant container/...with a resistant inner lining.

### Other hazards that do not result in a classification:

It can cause severe burns and complete perforation of the mucosal tissues of the mouth, esophagus, and stomach, as well as pulmonary edema if ingested or inhaled. Chronic inhalation exposure can cause lung effects such as bronchopneumonia and alveolar wall thickening with cell proliferation and congestion.

### Other information:

Not available.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

SUBSTANCE: SODIUM HYPOCHLORITE - NaCIO

Ingredients, impurities and/or stabilizing additives that contribute to the hazard:

Sodium Hypochlorite - NaClO (CAS 7681-52-9): 12%

Sodium Chloride - NaCl (CAS 7647-14-5): 9.4%

Sodium Hydroxide - NaOH (CAS 1310-73-2): 0.3%

Water - H 2 O (CAS - ): 78.3%

## 4. FIRST AID MEASURES

### Inhalation:

Remove the victim from contaminated areas as quickly as possible. Transport them to a well-ventilated area. Administer oxygen if the victim has difficulty breathing. See a doctor immediately.

## Skin contact:

Remove contaminated clothing and shoes. Wash the affected area with running water. See a doctor immediately.

#### Eye contact:

Flush your eyes with running water for 20 minutes as soon as possible, keeping your eyelids open. See a doctor immediately.

### Ingestion:

Vomiting may occur spontaneously, but do not induce it. Rinse your mouth with plenty of running water. Seek medical help immediately.

## Most important symptoms and effects, acute or delayed:

Harmful in contact with skin. Corrosive material and can cause severe burns to all tissues with which it comes into contact.

## Indication of immediate medical attention and special treatments required, if necessary:

Avoid contact with the product when assisting the victim. Treat symptomatically and supportively, according to the clinical picture, with respiratory assistance. In case of skin contact, do not rub the affected area.

## 5. FIRE FIGHTING MEASURES

## Extinguishing media:

Non-explosive / Non-flammable.



	Version: 5	Date: 11/04/2025	Page 3
--	------------	------------------	--------

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

Small proportions: Compatible with fire extinguishers. Large proportions: Water in the form of mist or foam.

### Specific hazards arising from the substance or mixture:

Combustion of the chemical or its packaging can form irritating and toxic gases.

### Special protective measures for firefighting personnel:

Wear self-contained breathing apparatus. Avoid contact with the material while fighting the fire. If contact is unavoidable, wear chemical-resistant clothing.

## 6. CONTROL MEASURES FOR SPILLS OR LEAKS

### For non-emergency personnel

If you observe an emergency situation involving a leak, spill, or accidental release, immediately report the accident to those responsible and stay away. If possible, eliminate ignition sources and provide sufficient ventilation to remove contaminants.

### For emergency service personnel

Evacuate people from the affected area, isolate the risk area, restrict product leakage by closing valves and turning off pumps, and prevent contact with the environment containing the product by storing it in containment dikes or appropriate containers. Use personal protective equipment as described in section 8.

#### **Environmental precautions:**

Prevent spilled product from reaching watercourses and sewage systems.

### Methods and materials for containment and cleaning:

Collected material must be properly packaged, labeled, and transported in accordance with legal regulations and best practices. If not recovered, the waste must be properly neutralized for disposal.

## Methods and materials for sealing and containment:

Cover drains, collect, and pump out any leaking product. Absorb with a liquid absorbent, e.g., Chemizorb® . Dispose of residue. Clean the affected area.

### Area isolation:

Keep unauthorized persons away.

### Methods and materials for cleaning:

Collected material must be properly packaged, labeled, and transported in accordance with legal regulations and best practices. If not recovered, the waste must be properly neutralized for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

## Prevention of worker exposure:

Use personal protective equipment as described in section 8.

#### Fire and explosion prevention:

The substance is not flammable.

### Precautions and guidelines for safe handling:

The usual precautions for handling chemicals should be observed. Avoid any direct contact with the material.

## Hygiene measures



Version: 5 Date: 11/04/2025 Page 4

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

### Appropriate:

Wash your hands before any break and at the end of the work period. Do not eat or smoke during the work period. Remove contaminated clothing immediately.

#### Inappropriate:

Do not eat, drink or smoke when handling the product.

## Conditions for safe storage, including any incompatibilities

#### Suitable conditions:

Store in the original container. Keep away from incompatible products. Keep in a dry place and properly labeled.

### Conditions to be avoided, including any incompatibilities

#### Packaging materials

#### Recommended:

Steel tanks lined with hard rubber or plastic containers made of PE or PP or other resistant material.

#### **Unsuitable:**

Avoid contact with aluminum, zinc, tin and their alloys.

#### Other information:

Keep away from heat, high temperatures, and incompatible materials. Keep the container tightly closed. Use dikes or natural barriers to contain any product leaks. Absorb while dry. If possible, stop the leak using stoppers, sealing tape, or by turning the hole, tear, or dent upward. Collect all material in suitable, properly labeled containers for later treatment and disposal. Waste must be disposed of in accordance with local, state, or federal environmental regulations. For transshipment, find an appropriate location and follow the safety procedures described above.

## 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

### **Control parameters**

## Occupational exposure limits:

The values below are applicable for work environments.

SODIUM HYPOCHLORITE ( NaCIO ) MTE NR 15 - LT: Not established

OSHA - PEL - TWA: Not established NIOSH - REL - C: Not established

ACGIH - TLV - TWA: Not established
ACGIH - TLV - STEL: Not established

### **Biological indicators:**

There are no biological exposure indicators established by Brazilian legislation – NR 07.

### **Engineering control measures:**

Gas scrubber

### Personal protective measures

Eye/face protection: Wide-vision glasses, face shield

Skin protection: PVC or Tychem coverall, Rubber or PVC boots

Respiratory protection: Respirator with chemical filter for acid gases (in case of brief exposure). In case of longer

exposure, use a self-contained breathing apparatus.

Hand protection: Rubber gloves (PVC)



Version: 5 Date: 11/04/2025 Page 5

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

Thermal hazards: Not available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Slightly greenish-yellow liquid

Color: Green to yellow

Odor: Pungent and irritating odor

Melting point/freezing point: Not available

Boiling point or initial boiling point and boiling range: 110 °C (15% NaClO solution )

Flammability: Non-flammable

Lower and upper explosive/flammability limits: Not available

Flash point: Non-flammable

Autoignition temperature: Not available

Decomposition temperature: Not available

**pH**: 12

Kinematic viscosity: Not available

Solubility: Soluble in water.

Partition coefficient - n- octanol /water (log value): Not available

Vapor pressure: Not available

Density and/or relative density: 1.2 kg/L Relative vapor density: Not available Particle characteristics: Not available

# 10. STABILITY AND REACTIVITY

**Reactivity:** Reaction with strong oxidizing agents.

**Chemical stability:** The stability of the solution decreases under the action of heat, light, and in the presence of impurities (traces of iron, nickel, copper, cobalt, aluminum, manganese).

**Possibility of hazardous reactions:** Reacts violently with strong acids, halogenated organic compounds and nitrogenous organic compounds.

Conditions to avoid: Keep at temperatures between: 15 - 25  $^{\circ}$  C. The product is sensitive to light and humidity.

**Incompatible materials:** Acids (violent decomposition with release of chlorine), Metals (decomposition with formation of oxygen).

Hazardous decomposition products: Chlorine, Hypochlorous acid, Sodium chlorate.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity: In contact with skin and/or eyes, causes severe burns.

LD50: (oral, rats): 550 mg.kg-1 - Category 4

Skin corrosion/irritation: Causes severe skin burns

Serious eye damage/eye irritation: Causes severe eye burns



Version: 5 Date: 11/04/2025 Page 6

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

Respiratory or skin sensitization: May cause respiratory irritation

Germ cell mutagenicity: Conclusion: not sufficient for classification

Carcinogenicity: Conclusion not sufficient for classification

Reproductive toxicity: Conclusion not sufficient for classification

Specific target organ toxicity - single exposure: Conclusion: not sufficient for classification

Specific target organ toxicity - repeated exposure: Conclusion not sufficient for classification

Aspiration hazard: Conclusion: Not sufficient for classification

Other information: Very toxic to aquatic organisms, with long-lasting effects.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Industrial sodium hypochlorite has higher levels than bleach or household bleach, thus presenting greater risks.

Persistence and degradability: Not available

Bioaccumulative potential: Not potentially bioaccumulative

Mobility in soil: Soluble in water - Final destination of the product: Not available

Other adverse effects: Do not allow to enter septic tanks, rivers and rainwater.

## 13. CONSIDERATIONS ON FINAL DESTINATION

### Recommended methods for final disposal

**Product:** Keep any leftover product in its original, properly sealed packaging. Do not dispose of it in sewage systems, waterways, or wastewater treatment plants.

**Used packaging:** Do not reuse empty packaging. Packaging should be washed and neutralized. Improper disposal of empty packaging and product residues in the environment causes soil, water, and air contamination, harming fauna, flora, and human health.

## 14. TRANSPORTATION INFORMATION

#### National and international regulations

#### **LAND: ANTT - National Land Transportation Agency:**

Resolution No. 5,998, of November 3, 2022: Updates the Regulation for the Road Transportation of Dangerous Products, approves its Supplementary Instructions, and provides other measures.

UN Number: 1791

Proper shipping name: SODIUM HYPOCHLORITE

Risk number: 80

Main risk class or subclass: 8

Packing group: II

WATERWAY: DPC - Directorate of Ports and Coasts (Transportation in Brazilian waters). Maritime Authority

Regulations:

NORMAM 01/DPC: Vessels Used in Navigation on the Open Sea.



Version: 5 Date: 11/04/2025 Page 7

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

NORMAM 02/DPC: Vessels Used in Inland Navigation.

NORMAM 05/DPC: Material Approval.

IMO - International Maritime Organization:

IMDG Code - International Maritime Dangerous Goods Code (International Maritime Dangerous Goods Code).

UN Number: 1791

Proper shipping name: SODIUM HYPOCHLORITE

Risk number: 80

Main risk class or subclass: 8

Packing group: II

inS:

Environmental hazard: Data not available

AIR: ANAC - National Civil Aviation Agency: Resolution No. 714, of April 26, 2023. RBAC (Brazilian Civil Aviation Regulation) No. 175:

Transportation of Dangerous Goods on Civil Aircraft.

IS No. 175-001 - Supplementary Instruction.

ICAO (International Civil Aviation Organization):

Doc 9284 AN/905 (Technical Instructions for the Safe Transport of Dangerous Goods by Air).

IATA - International Air Transport Association (International Air Transport Association):

DGR - Dangerous Goods Regulation (Dangerous Goods Regulation).

UN Number: 1791

Proper shipping name: SODIUM HYPOCHLORITE

Risk number: 80

Main risk class or subclass: 8

Packing group: II

Specific precautionary measures and conditions: Not applicable

## 15. REGULATORY INFORMATION

Specific safety, health and environmental regulations for the chemical:

BRAZIL - MINISTRY OF LABOR AND EMPLOYMENT - NR 26.

BRAZIL - MINISTRY OF TRANSPORTATION - ANTT.

BRAZIL - ABNT NBR 14725

## 16. OTHER INFORMATION

## Important information, but not specifically described in the previous sections:

This SDS was prepared based on current knowledge of the chemical product and provides information on protection, safety, health and the environment.

Please note that handling any chemical substance requires prior knowledge of its hazards by the user. It is the responsibility of the company using the product to train its employees and contractors regarding the potential risks posed by the product.

References: [ABNT] BRAZILIAN ASSOCIATION OF TECHNICAL STANDARDS NBR 14725.



Version: 5	Date: 11/04/2025	Page 8
VC131011. 3	Datc. 11/04/2023	i age o

In accordance with NBR 14725

Product: SODIUM HYPOCHLORITE - NaCIO

[BRAZIL] BRAZIL. Ministry of Transport. National Land Transport Agency.

[ECHA] European Union. ECHA European Chemical Agency

Subtitles and abbreviations: ACGIH – American Conference on of Governmental Industrial Hygienists , CAS – Chemical Abstracts Service

[OSHA] - Occupational Safety and Health Administration

[NIOSH] - National Institute for Occupational Safety and Health

[NR] - Regulatory Standard - NR 15 Unhealthy Activities and Operations

[LT] - Tolerance Limit